
EAST - [default1.wsp:1]
File View Edit Tools Window Help
To Drafts
Pending
Active
L1: (632) roller adj cone
L2: (540) drill and l
L3: (120) (balance or balanced) and 1
L2: (540) drill and 1  L3: (120) (balance or balanced) and 1  L4: (23) whirl and 3  L5: (1) "5042596".PN.  L6: (1) "4815342".PN.  L7: (1) "4790397".PN.  L8: (1) "4753305".PN.  L9: (1) "4641718".PN.  L10: (1) "4549614".PN.  L11: (1) "4545441".PN.  L12: (1) "3966349".PN.  L13: (1) "3851719".PN.  L14: (1) "3751177".PN.  L15: (1) "3629558".PN.  L16: (1) "3163243".PN.  L17: (1) "1463566".PN.  L18: (2256) brett.in.
16: (1) "4815342".PN.
7 17: (1) "4790397".PN.
% L8: (1) "4753305".PN.
19: (1) "4641718".PN.
% L10: (1) "4549614".PN.
L11: (1) "4545441".PN.
L12: (1) "3966349".PN.
L13: (1) "3851719".PN.
📆 L14: (1) "3751177".PN.
L15: (1) "3629558".PN.
L16: (1) "3163243".PN.
L17: (1) "1463566".PN.
[19: (18) whirl and 18
Failed
Saved
Favorites
Tagged (0)
Queue
Trash
— V

19.7	VU.	. 1	Document ID	Issue Date.	Pages	Title
1			US 6550534 B2	20030422	12	Utilization of energy from flowing fluids
<b>2.</b>		□ '	US 6321836 B1	20011127	9 1	Utilization of energy from flowing fluids
3		1	US 6247533 Bl	20010619	9	Utilization of energy from flowing

EAST - [default1.wsp:1]	
File View Edit Tools Window Help	1
	.) N.S.
Drafts Pending L1: (560) roller adj2 bit L2: (1494) objective adj2 function L3: (1) 1 and 2 L4: (3581) halliburton L5: (2) 2 and 4 L6: (1) 2 same drill L7: (32) 2 and drill L8: (11) simulat\$5 same 1 L9: (76) design\$5 same 1 L10: (42) design\$5 with 1	
Lil: (34) 9 not 10  Liz: (25) whirl and 1  Failed  Saved  Favorites  UDC  Queue  Trash	•

		DOMESTIC CONTROL OF THE CONTROL OF T		
i 3 🖂	1 Document ID US 6651758 B2	<b>Issue Date</b> 20031125	i	Rolling cone bit with elements fanned lalong the gage curve
2	US 6637527 B1	20031028	13	Cutting structure for roller cone drill
3.	US 6619411 B2	20030916		Design of wear compensated roller cone



	u	1	Document ID	Issue Date	Pages	Title .
ı E		П	US 6651007 B2	20031118	;	Adaptive seismic noise and interference attenuation method
2 2 1	<b></b>		US 6607835 B2	20030819	15 1	Composite constructions with ordered microstructure
3			US 6598690 B2	20030729	16	Dual dynamic rotary seal